
v24_port_t *
QString
QStringList
int
m_port
m_rfcommCommand
m_phoneMode
m_swapped
m_date
m_message
m_sender
m_recipientLengthHex
m_carryoverLength
m_recipientType
m_PDU
m_recipient
m_senderType
m_encodedMessage
m_phoneAnswer
m_index
m_smscType
m_rp
m_posInPdu
m_senderLength
m_messageLength
m_rplength
m_longMessage
m_udhLength
m_recipientLength
m_id
m_ie
m_smscLen
m_UploadFileName
m_settingsAll
m_phoneContactType
m_defaultBtDevice
m_FileName
m_phoneSmsNumber
m_phoneSmsStatus
m_phoneContactId
m_BtChannel
m_phoneSmsEntry
m_phoneStatus
m_phoneSmsMessage
m_phoneManufacturer
m_phoneSmsDateTmp
m_phoneContactCount
m_PDU
m_phoneSmsDate
m_phoneSmsId
m_ConnectStartup
version
m_PduLength
m_defaultIrdaDevice
m_phoneRevision
m_phoneContactNumber
m_settingsBtAddress
m_phoneBattery
m_Device
m_phoneContactEntry
m_settingsDevice
m_BtAddress
m_UploadFilePath
m_AtCommand
m_phoneSmsToShow
m_phoneContactName
m_settingsConnectStartup
m_defaultSerialDevice
m_phoneModel
BlueLink
- m_communicate
- m_connected
- m_port
- m_phoneAnswer
- m_phoneMode
- m_rfcommCommand
+ BlueLink()
+ ~BlueLink()
+ connectRfcomm()
+ disconnectRfcomm()
+ connecttoPhone()
+ getPort()
+ getState()
+ disconnectPhone()
+ talktoPhone()
BlueConvert
- m_PDU
- m_sender
- m_message
- m_date
- m_posInPdu
- m_smscType
- m_smscLen
- m_senderLength
- m_senderType
- m_udhLength
- m_rp
- m_rplength
- m_ie
- m_messageLength
- m_swapped
- m_recipient
- m_index
- m_id
- m_longMessage
- m_recipientType
- m_recipientLength
- m_recipientLengthHex
- m_carryoverLength
- m_encodedMessage
+ BlueConvert()
+ ~BlueConvert()
+ convert_from_gsm()
+ convert_to_gsm()
+ decodeMessage()
+ encodeMessage()
+ extractPduData()
+ createPduData()
+ decodeBCD()
+ getSender()
+ getDate()
+ getMessage()
+ getPdu()
FormBluePhone
m_Port
m_phoneAnswer
m_index
m_BtChannelInt
m_id
m_settingsBtChannel
myLink
myConvert
BluePhone
- version
- myLink
- myConvert
- m_Port
- m_Device
- m_BtAddress
- m_BtChannel
- m_BtChannelInt
- m_ConnectStartup
- m_phoneAnswer
- m_phoneManufacturer
- m_phoneModel
- m_phoneBattery
- m_phoneRevision
- m_phoneStatus
- m_defaultBtDevice
- m_defaultIrdaDevice
- m_defaultSerialDevice
- m_settingsAll
- m_settingsDevice
- m_settingsBtAddress
- m_settingsConnectStartup
- m_settingsBtChannel
- m_phoneContactEntry
- m_phoneContactId
- m_phoneContactType
- m_phoneContactName
- m_phoneContactNumber
- m_phoneContactCount
- m_phoneSmsEntry
- m_phoneSmsId
- m_phoneSmsStatus
- m_phoneSmsDateTmp
- m_phoneSmsDate
- m_phoneSmsNumber
- m_phoneSmsMessage
- m_phoneSmsToShow
- m_PDU
- m_PduLength
- m_index
- m_id
- m_AtCommand
- m_FileName
- m_UploadFileName
- m_UploadFilePath
+ BluePhone()
+ ~BluePhone()
+ readSettings()
+ setSettingsView()
+ showMetaInfo()
+ settingsSave
+ settingsGetAddress
+ contactsSms
+ contactsCall
+ contactsRestore
+ contactsBackup
+ contactsDelete
+ contactsEdit
+ contactsNew
+ contactsRead
+ smsNew
+ smsDeleteAll
+ smsDelete
+ smsSaveAll
+ smsSave
+ smsRead
+ smsShow
+ smsReply
+ fileSend
+ fileBrowse
+ phoneGetInfo
+ phoneDisconnect
+ phoneConnect
+ helpAbout
+ fileExit
+ setLedGreen
+ setLedOrange
+ setLedRed
+ sendContactToPhone
+ sendSmsToPhone